

XOOPS Multi Sites - Hacks

NEWS_PDF_AUTHOR: ldapguru

NEWS_PDF_DATE: 2004/1/22 13:26:08

Here's a way in which you can run multiple xoops instances with 1 simple XOOPS install.

This would be beneficial for those running XOOPS hosting servers. (saves disk space and you could control caching independently for each XOOPS instance)

Here's a Step by Step procedure to do it.

1. Backup your existing mainfile.php
2. Copy mainfile.php to .mainfile.php
eg: if your domain is <http://www.ldapguru.net> then copy mainfile.php to ldapguru.mainfile.php
3. Replace your existing mainfile.php with the following code:

4. Thats it !!!

An example instance is as follows:

If you want to run 1 XOOPS instance against the following 3 domains

<http://www.domain1.com>

<http://www.domain2.net>

<http://www.domain3.net>

You would create 3 files

domain1.mainfile.php

domain2.mainfile.php

domain3.mainfile.php

You could customize each file with it's unique URL. You could either keep the same database parameters (XOOPS_DB_HOST) or have unique ones. You could also have just 1 database with unique prefixes (XOOPS_DB_PREFIX) for each site.

the functionality is similar to what i have running on one of my non-XOOPS servers.

<http://www.rohanpinto.com> and <http://www.chriselda.com> are the same server, same hosting account and same content with the above script enabled. Remember these URL's are not

running XOOPS, but rather the exact same process.

If you do not want to hack the code but download it, visit my XOOPS site at <http://www.ldapguru.net>, I shall be posting a Multi-XOOPS-Site download shortly.

Here's a way in which you can run multiple xoops instances with 1 simple XOOPS install.

This would be beneficial for those running XOOPS hosting servers. (saves disk space and you could control caching independently for each XOOPS instance)

Here's a Step by Step procedure to do it.

1. Backup your existing mainfile.php
2. Copy mainfile.php to .mainfile.php
eg: if your domain is <http://www.ldapguru.net> then copy mainfile.php to ldapguru.mainfile.php
3. Replace your existing mainfile.php with the following code:

4. That's it !!!

An example instance is as follows:

If you want to run 1 XOOPS instance against the following 3 domains

<http://www.domain1.com>

<http://www.domain2.net>

<http://www.domain3.net>

You would create 3 files

domain1.mainfile.php

domain2.mainfile.php

domain3.mainfile.php

You could customize each file with its unique URL. You could either keep the same database parameters (XOOPS_DB_HOST) or have unique ones. You could also have just 1 database with unique prefixes (XOOPS_DB_PREFIX) for each site.

the functionality is similar to what I have running on one of my non-XOOPS servers.

<http://www.rohanpinto.com> and <http://www.chriselda.com> are the same server, same hosting account and same content with the above script enabled. Remember these URL's are not running XOOPS, but rather the exact same process.

If you do not want to hack the code but download it, visit my XOOPS site at

<http://www.ldapguru.net>, I shall be posting a Multi-XOOPS-Site download shortly.