

Revolution Xoops Banner System! - Hacks

NEWS_PDF_AUTHOR: slyss

NEWS_PDF_DATE: 2009/11/11 8:20:00

I have finally created 2 functions to place your BANNERS everywhere you want and to choose which BANNER to show!!!

Is very very simple. You have 3 options to place your BANNERS in blocks:

1. No banners preference: view random banner
2. Banner preference: view specific banner
3. Client preference: view specific client banner

LET'S DO THIS:

Please, go to your root_directory/include/ and open the file functions.php
Go to the end of the file functions.php and before the tag ?> insert this code:

```
function getbanner_from_id_banner($banner_id)
{
##### Hack by www.stefanosilvestrini.com #####
global $xoopsConfig;
$db =& Database::getInstance();
$result = $db->query("SELECT COUNT(*) FROM ".$db->prefix("banner").
" WHERE bid = ". $banner_id);
list ($numrows) = $db->fetchRow($result);
if ( $numrows > 1 ) {
$numrows = $numrows-1;
mt_srand((double)microtime()*1000000);
$bannum = mt_rand(0, $numrows);
} else {
$bannum = 0;
}
if ( $numrows > 0 ) {
$result = $db->query("SELECT * FROM ".$db->prefix("banner").
" WHERE bid = ". $banner_id, 1, $bannum);
list ($bid, $cid, $simptotal, $simpmade, $clicks, $imageurl, $clickurl, $date,
$htmlbanner, $htmlcode) = $db->fetchRow($result);
if ($xoopsConfig['my_ip'] == xoops_getenv('REMOTE_ADDR')) {
// EMPTY
} else {
$db->queryF(sprintf(
```

```

"UPDATE %s SET impmade = impmade+1 WHERE bid = %u", $db->prefix("banner"), $bid));
}
/* Check if this impression is the last one and print the banner */
if ( $imptotal == $impmade ) {
$newid = $db->genId($db->prefix("bannerfinish")."_bid_seq");
$sql = sprintf(
"INSERT INTO %s (bid, cid, impressions, clicks, datestart, dateend) VALUES (%u, %u, %u, %u
, %u, %u)", $db->prefix("bannerfinish"), $newid, $cid, $impmade, $clicks, $date, time());
$db->queryF($sql);
$db->queryF(sprintf("DELETE FROM %s WHERE bid = %u", $db->prefix("banner"), $bid));
}
if ($htmlbanner){
$bannerobject = $htmlcode;
}else{
$bannerobject = "";
if (strpos($imageurl, '.swf')) {
$bannerobject = $bannerobject
"."
"."
"."
"."
"."
"."
"."
";
} else {
$bannerobject = $bannerobject.".";
}

$bannerobject = $bannerobject.'
';
}
return $bannerobject;
}
}

```

```

function getbanner_from_id_client($client_id)
{
##### Hack by www.stefanosilvestrini.com #####
global $xoopsConfig;
$db =& Database::getInstance();
$result = $db->query("SELECT COUNT(*) FROM ".$db->prefix("banner").
" WHERE cid = ".$client_id);
list ($numrows) = $db->fetchRow($result);
if ( $numrows > 1 ) {
$numrows = $numrows-1;
mt_srand((double)microtime()*1000000);
$bannum = mt_rand(0, $numrows);

```

```

} else {
$bannum = 0;
}
if ( $numrows > 0 ) {
$bresult = $db->query("SELECT * FROM ".$db->prefix("banner").
" WHERE cid = ".$client_id ." ORDER BY rand()", 1, $bannum);
list ($bid, $cid, $imptotal, $impmade, $clicks, $imageurl, $clickurl, $date,
$htmlbanner, $htmlcode) = $db->fetchRow($bresult);
if ($xoopsConfig['my_ip'] == xoops_getenv('REMOTE_ADDR')) {
// EMPTY
} else {
$db->queryF(sprintf(
"UPDATE %s SET impmade = impmade+1 WHERE bid = %u", $db->prefix("banner"), $bid));
}
/* Check if this impression is the last one and print the banner */
if ( $imptotal == $impmade ) {
$newid = $db->genId($db->prefix("bannerfinish")."_bid_seq");
$sql = sprintf(
"INSERT INTO %s (bid, cid, impressions, clicks, datestart, dateend) VALUES (%u, %u, %u, %u
, %u, %u)", $db->prefix("bannerfinish"), $newid, $cid, $impmade, $clicks, $date, time());
$db->queryF($sql);
$db->queryF(sprintf("DELETE FROM %s WHERE bid = %u", $db->prefix("banner"), $bid));
}
if ($htmlbanner){
$bannerobject = $htmlcode;
}else{
$bannerobject = "";
if (strpos($imageurl, '.swf')) {
$bannerobject = $bannerobject
. "
. "
. "
. "
. "
. "
. "
. ";
} else {
$bannerobject = $bannerobject."";
}

$bannerobject = $bannerobject.'
';
}
return $bannerobject;
}
}

```

then SAVE and CLOSE.

Now there are 3 simple ways to create your BANNERS BLOCKS:

CASE 1:

Place your BANNERS in your blocks (no limit for number of blocks) anywhere you want!
BANNERS will be shown randomly!

Add a new custom Xoops block PHP and insert this code:

```
echo xoops_getbanner();
```

CASE 2:

Place your BANNERS in your blocks (no limit for number of blocks) anywhere you want!
BANNERS will be shown by ID_BANNER and so, e.g., you can select a specific BANNER in a specific block!

Add a new custom Xoops block PHP and insert this code:

```
echo getbanner_from_id_banner(ID_BANNER);
```

where ID_BANNER = ID of BANNER to SHOW (you can see this ID on your BANNERS admin page --> Banner ID on Current Active Banners)

CASE 3:

Place your BANNERS in your blocks (no limit for number of blocks) anywhere you want!
BANNERS will be shown by ID_CLIENT and so, e.g., if a client has 10 banners, your BANNERS will be view random only from this 10 BANNERS!

Add a new custom Xoops block PHP and insert this code:

```
echo getbanner_from_id_client(ID_CLIENT);
```

where ID_CLIENT = ID of CLIENT of BANNERS to SHOW (you can see this ID on your BANNERS admin page --> Banner ID on Advertising Clients)

THAT'S ALL!

I have finally created 2 functions to place your BANNERS everywhere you want and to choose which BANNER to show!!!

Is very very simple. You have 3 options to place your BANNERS in blocks:

1. No banners preference: view random banner
2. Banner preference: view specific banner
3. Client preference: view specific client banner

LET'S DO THIS:

Please, go to your root_directory/include/ and open the file functions.php
Go to the end of the file functions.php and before the tag ?> insert this code:

```
function getbanner_from_id_banner($banner_id)
{
##### Hack by www.stefanosilvestrini.com #####
global $xoopsConfig;
$db =& Database::getInstance();
$result = $db->query("SELECT COUNT(*) FROM ".$db->prefix("banner").
" WHERE bid = ".$banner_id);
list ($numrows) = $db->fetchRow($result);
if ( $numrows > 1 ) {
$numrows = $numrows-1;
mt_srand((double)microtime()*1000000);
$bannum = mt_rand(0, $numrows);
} else {
$bannum = 0;
}
if ( $numrows > 0 ) {
$result = $db->query("SELECT * FROM ".$db->prefix("banner").
" WHERE bid = ".$banner_id, 1, $bannum);
list ($bid, $cid, $imptotal, $impmade, $clicks, $imageurl, $clickurl, $date,
$htmlbanner, $htmlcode) = $db->fetchRow($result);
if ($xoopsConfig['my_ip'] == xoops_getenv('REMOTE_ADDR')) {
// EMPTY
} else {
$db->queryF(sprintf(
"UPDATE %s SET impmade = impmade+1 WHERE bid = %u", $db->prefix("banner"), $bid));
}
/* Check if this impression is the last one and print the banner */
if ( $imptotal == $impmade ) {
$newid = $db->genId($db->prefix("bannerfinish")."_bid_seq");
$sql = sprintf(
"INSERT INTO %s (bid, cid, impressions, clicks, datestart, dateend) VALUES (%u, %u, %u, %u
, %u, %u)", $db->prefix("bannerfinish"), $newid, $cid, $impmade, $clicks, $date, time());
```

```

$db->queryF($sql);
$db->queryF(sprintf("DELETE FROM %s WHERE bid = %u", $db->prefix("banner"), $bid));
}
if ($htmlbanner){
    $bannerobject = $htmlcode;
}else{
    $bannerobject = "";
    if (stristr($imageurl, '.swf')) {
        $bannerobject = $bannerobject
        . "
        . "
        . "
        . "
        . "
        . "
        . "
        . ";
    } else {
        $bannerobject = $bannerobject.";
    }

    $bannerobject = $bannerobject.'
';
}
return $bannerobject;
}
}

```

```

function getbanner_from_id_client($client_id)
{
    ##### Hack by www.stefanosilvestrini.com #####
    global $xoopsConfig;
    $db =& Database::getInstance();
    $bresult = $db->query("SELECT COUNT(*) FROM ".$db->prefix("banner").
    " WHERE cid = ".$client_id);
    list ($numrows) = $db->fetchRow($bresult);
    if ( $numrows > 1 ) {
        $numrows = $numrows-1;
        mt_srand((double)microtime()*1000000);
        $bannum = mt_rand(0, $numrows);
    } else {
        $bannum = 0;
    }
    if ( $numrows > 0 ) {
        $bresult = $db->query("SELECT * FROM ".$db->prefix("banner").
        " WHERE cid = ".$client_id ." ORDER BY rand()", 1, $bannum);
        list ($bid, $cid, $simptotal, $simgmade, $clicks, $imageurl, $clickurl, $date,
        $htmlbanner, $htmlcode) = $db->fetchRow($bresult);
    }
}

```

```

if ($xoopsConfig['my_ip'] == xoops_getenv('REMOTE_ADDR')) {
// EMPTY
} else {
$db->queryF(sprintf(
"UPDATE %s SET impmade = impmade+1 WHERE bid = %u", $db->prefix("banner"), $bid));
}
/* Check if this impression is the last one and print the banner */
if ( $imptotal == $impmade ) {
$newid = $db->genId($db->prefix("bannerfinish")."_bid_seq");
$sql = sprintf(
"INSERT INTO %s (bid, cid, impressions, clicks, datestart, dateend) VALUES (%u, %u, %u, %u
, %u, %u)", $db->prefix("bannerfinish"), $newid, $cid, $impmade, $clicks, $date, time());
$db->queryF($sql);
$db->queryF(sprintf("DELETE FROM %s WHERE bid = %u", $db->prefix("banner"), $bid));
}
if ($htmlbanner){
$bannerobject = $htmlcode;
}else{
$bannerobject = "";
if (stristr($imageurl, '.swf')) {
$bannerobject = $bannerobject
."
."
."
."
."
."
."
";
} else {
$bannerobject = $bannerobject."";
}

$bannerobject = $bannerobject.'
';
}
return $bannerobject;
}
}

```

then SAVE and CLOSE.

Now there are 3 simple ways to create your BANNERS BLOCKS:

CASE 1:

Place your BANNERS in your blocks (no limit for number of blocks) anywhere you want!

BANNERS will be shown randomly!

Add a new custom Xoops block PHP and insert this code:

```
echo xoops_getbanner();
```

CASE 2:

Place your BANNERS in your blocks (no limit for number of blocks) anywhere you want!
BANNERS will be shown by ID_BANNER and so, e.g., you can select a specific BANNER in a specific block!

Add a new custom Xoops block PHP and insert this code:

```
echo getbanner_from_id_banner(ID_BANNER);
```

where ID_BANNER = ID of BANNER to SHOW (you can see this ID on your BANNERS admin page --> Banner ID on Current Active Banners)

CASE 3:

Place your BANNERS in your blocks (no limit for number of blocks) anywhere you want!
BANNERS will be shown by ID_CLIENT and so, e.g., if a client has 10 banners, your BANNERS will be view random only from this 10 BANNERS!

Add a new custom Xoops block PHP and insert this code:

```
echo getbanner_from_id_client(ID_CLIENT);
```

where ID_CLIENT = ID of CLIENT of BANNERS to SHOW (you can see this ID on your BANNERS admin page --> Banner ID on Advertising Clients)

THAT'S ALL!