

Tutorial - Build a CSS 3 Main Menu - Developer News

NEWS_PDF_AUTHOR: kaotik

NEWS_PDF_DATE: 2010/8/13 19:30:00

Learn how to create a cool main menu using css 3 features.

History

I'm a big fan of industrial design from the 50/60's and this tutorial was inspired on a poster I saw from that time.

Step 1 Creating the background

Open your favorite image program a create a png file similar to image 2. It's size should be 310px x 175px. Size is important because we will be using coordinates to place our menu items.
image 2

Step 2 blank html

Create a folder in your web server, name your background image "back_mm_opt.png" and place it inside this folder. Now create a blank html file called "mainmenu.html" (in same folder) and place the folowing code in it:

```
DOCTYPE html PUBLIC
"-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transition
al.dtd">
```

```
#artdecoMM{
width:310px;
height:175px;
}
```

```
test
```

This is the base for our project. We will create 7 menu items. This means you will be able to install up to 7 modules and they will appear correctly. You can later adapt this for as many items as you like.

Step 3 Menu items

Open mainmenu.html and replace all code with this:

```
DOCTYPE html PUBLIC
"-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transition
al.dtd">
```

```
#artdecoMM{
font-family:arial;
width:310px;
height:175px;
}
#artdecoMM a {text-decoration:none;}
#artdecoMM a:hover{ color:#FF0000;}

.mm1 {position:relative; top:23px; left:89px;font-weight:bold; font-size:18px;}
.mm1 a{ color:#000000}
.mm2{position:relative; top:25px; left:65px;font-size:20px;}
.mm2 a {color:#FFFFFF;}
.mm3{position:relative; top:-12px; left:-39px; width:180px;font-size:20px;
-webkit-transform: rotate(-90deg);
-moz-transform: rotate(-90deg);
}
.mm3 a {color:#EBEBEB;}

.mm4{position:relative; top:5px; left:100px; font-weight:bold;font-size:14px;}
.mm4 a {color:#333333;}

.mm5{position:relative; top:135px; left:-75px;font-size:19px;
-webkit-transform: rotate(90deg);
-moz-transform: rotate(90deg);}
.mm5 a {color:#666666;}

.mm6{position:relative; top:-40px; left:-25px; width:105px; font-weight:bold;font-size:15px;
-webkit-transform: rotate(-90deg);
```

```
-moz-transform: rotate(-90deg);}
.mm6 a {color:#333333;}
.mm7 {position:relative; top:-125px; left:70px;font-size:15px;}
.mm7 a {color:#666666;}

#submenu{position:relative; float:right; font-size:10px; color:#006600; right:140px; top:100px;}
#submenu a{ color:#006600;}
```

submenu 1
submenu 1
submenu 1
submenu 1

Item 1
Item 2
Item 3
Item 4
Item 5
Item 6
Item 7

Run mainmenu.html, it should look like image2. What we have done is place all our menu items and correctly position them.

They are all relatively placed inside the div.
Now let's transform this into a xoops theme.

Creating a xoops theme

Make a copy of xoops default theme and name it "kdesign". I've provided a zipped version [here](#). Go to preferences and set kdesign as the default theme.

Now open /kdesign/theme.html and replace everything with this:

```
DOCTYPE html PUBLIC
```

```
"-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
folderName}>
```

```
#artdecoMM{
```

```
font-family:arial;
```

```
width:310px;
```

```
height:175px;
```

```
}
```

```
#artdecoMM a {text-decoration:none;}
```

```
#artdecoMM a:hover{ color:#FF0000;}
```

```
.mm1 {position:relative; top:23px; left:89px;font-weight:bold; font-size:18px;}
```

```
.mm1 a{ color:#000000}
```

```
.mm2{position:relative; top:25px; left:65px;font-size:20px;}
```

```
.mm2 a {color:#FFFFFF;}
```

```
.mm3{position:relative; top:-12px; left:-39px; width:180px;font-size:20px;
```

```
-webkit-transform: rotate(-90deg);
```

```
-moz-transform: rotate(-90deg);
```

```
}
```

```
.mm3 a {color:#EBEBEB;}
```

```
.mm4{position:relative; top:5px; left:100px; font-weight:bold;font-size:14px;}
```

```
.mm4 a {color:#333333;}
```

```
.mm5{position:relative; top:135px; left:-75px;font-size:19px;
```

```
-webkit-transform: rotate(90deg);
```

```
-moz-transform: rotate(90deg);}
```

```
.mm5 a {color:#666666;}
```

```
.mm6{position:relative; top:-40px; left:-25px; width:105px; font-weight:bold;font-size:15px;
```

```
-webkit-transform: rotate(-90deg);
```

```
-moz-transform: rotate(-90deg);}
```

```
.mm6 a {color:#333333;}
```

```
.mm7{position:relative; top:-125px; left:70px;font-size:15px;}
```

```
.mm7 a {color:#666666;}
```

```
#submenu{position:relative; float:right; font-size:10px; color:#006600; right:140px; top:100px;}
```

```
#submenu a{ color:#006600;}
```

Item 1
Item 2
Item 3
Item 4
Item 5
Item 6
Item 7

submenu 1
submenu 2
submenu 3
submenu 4

I'm using this theme only to test my main menu code, as such I've stripped everything else out of this theme. Now reload the theme. You should have something similar to image 3.

Step 4 Using Module Names

The next step is to use actual xoops modules. Open kdesign/theme.html and replace all code with this:

```
DOCTYPE html PUBLIC
"-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transition
al.dtd">
```

```
folderName}>
```

```
#artdecoMM{
font-family:arial;
```

```
width:310px;
height:175px;
}
#artdecoMM a {text-decoration:none;}
#artdecoMM a:hover{ color:#FF0000;}

.mm1 {position:relative; top:23px; left:89px;font-weight:bold; font-size:18px;}
.mm1 a{ color:#000000}
.mm2{position:relative; top:25px; left:65px;font-size:20px;}
.mm2 a {color:#FFFFFF;}
.mm3{position:relative; top:-12px; left:-39px; width:180px;font-size:20px;
-webkit-transform: rotate(-90deg);
-moz-transform: rotate(-90deg);
}
.mm3 a {color:#EBEBEB;}

.mm4{position:relative; top:5px; left:100px; font-weight:bold;font-size:14px;}
.mm4 a {color:#333333;}

.mm5{position:relative; top:135px; left:-75px;font-size:19px;
-webkit-transform: rotate(90deg);
-moz-transform: rotate(90deg);}
.mm5 a {color:#666666;}

.mm6{position:relative; top:-40px; left:-25px; width:105px; font-weight:bold;font-size:15px;
-webkit-transform: rotate(-90deg);
-moz-transform: rotate(-90deg);}
.mm6 a {color:#333333;}
.mm7{position:relative; top:-125px; left:70px;font-size:15px;}
.mm7 a {color:#666666;}

#submenu{position:relative; float:right; font-size:10px; color:#006600; right:140px; top:100px;}
#submenu a{ color:#006600;}
```

submenu 1
submenu 2
submenu 3
submenu 4

Home

You might have to tweak positions to better fit the design. Language and capital letters are all factors in the placement of each item.

Step 5 - Submenu

Now let's populate the submenu. Open kdesign/theme.html and replace all code with this:

```
DOCTYPE html PUBLIC
"-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
folderName}>
```

```
#artdecoMM{
font-family:arial;
width:310px;
height:175px;
}
#artdecoMM a {text-decoration:none;}
#artdecoMM a:hover{ color:#FF0000;}

.mm1 {position:relative; top:23px; left:89px;font-weight:bold; font-size:18px;}
.mm1 a{ color:#000000}
.mm2{position:relative; top:25px; left:65px;font-size:20px;}
.mm2 a {color:#FFFFFF;}
.mm3{position:relative; top:-12px; left:-39px; width:180px;font-size:20px;
-webkit-transform: rotate(-90deg);
-moz-transform: rotate(-90deg);
}
.mm3 a {color:#EBEBEB;}
```

```
.mm4{position:relative; top:5px; left:100px; font-weight:bold;font-size:14px;}
.mm4 a {color:#333333;}
.mm5{position:relative; top:135px; left:-75px;font-size:19px;
-webkit-transform: rotate(90deg);
-moz-transform: rotate(90deg);}
.mm5 a {color:#666666;}
.mm6{position:relative; top:-40px; left:-25px; width:105px; font-weight:bold;font-size:15px;
-webkit-transform: rotate(-90deg);
-moz-transform: rotate(-90deg);}
.mm6 a {color:#333333;}
.mm7{position:relative; top:-125px; left:70px;font-size:15px;}
.mm7 a {color:#666666;}
#submenu{position:relative; float:right; font-size:10px; color:#006600; right:140px; top:100px;}
#submenu a{ color:#006600;}
```

Home

As you may notice I'm only using existing smarty variables to do all this. If you set your debug mode to smarty, you will see a lot information is provided to help you with your modules and templates. If you want to go back to your admin, just type the url:

<http://www.yoursite.com/admin.php> or to login: <http://www.yoursite.com/user.php> Your end

result should be similar to image 4.

Learn how to create a cool main menu using css 3 features.

History

I'm a big fan of industrial design from the 50/60's and this tutorial was inspired on a poster I saw from that time.

Step 1 Creating the background

Open your favorite image program a create a png file similar to image 2. It's size should be 310px x 175px. Size is important because we will be using coordinates to place our menu items.
image 2

Step 2 blank html

Create a folder in your web server, name your background image "back_mm_opt.png" and place it inside this folder. Now create a blank html file called "mainmenu.html" (in same folder) and place the folowing code in it:

```
DOCTYPE html PUBLIC
```

```
"-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
#artdecoMM{  
width:310px;  
height:175px;  
}
```

```
test
```

This is the base for our project. We will create 7 menu items. This means you will be able to install up to 7 modules and they will appear correctly. You can later adapt this for as many items as you like.

Step 3 Menu items

Open mainmenu.html and replace all code with this:

```
DOCTYPE html PUBLIC
"-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transition
al.dtd">

#artdecoMM{
font-family:arial;
width:310px;
height:175px;
}
#artdecoMM a {text-decoration:none;}
#artdecoMM a:hover{ color:#FF0000;}

.mm1 {position:relative; top:23px; left:89px;font-weight:bold; font-size:18px;}
.mm1 a{ color:#000000}
.mm2{position:relative; top:25px; left:65px;font-size:20px;}
.mm2 a {color:#FFFFFF;}
.mm3{position:relative; top:-12px; left:-39px; width:180px;font-size:20px;
-webkit-transform: rotate(-90deg);
-moz-transform: rotate(-90deg);
}
.mm3 a {color:#EBEBEB;}

.mm4{position:relative; top:5px; left:100px; font-weight:bold;font-size:14px;}
.mm4 a {color:#333333;}

.mm5{position:relative; top:135px; left:-75px;font-size:19px;
-webkit-transform: rotate(90deg);
-moz-transform: rotate(90deg);}
.mm5 a {color:#666666;}

.mm6{position:relative; top:-40px; left:-25px; width:105px; font-weight:bold;font-size:15px;
-webkit-transform: rotate(-90deg);
-moz-transform: rotate(-90deg);}
.mm6 a {color:#333333;}
.mm7{position:relative; top:-125px; left:70px;font-size:15px;}
.mm7 a {color:#666666;}

#submenu{position:relative; float:right; font-size:10px; color:#006600; right:140px; top:100px;}
#submenu a{ color:#006600;}
```

submenu 1
submenu 1
submenu 1
submenu 1

Item 1
Item 2
Item 3
Item 4
Item 5
Item 6
Item 7

Run mainmenu.html, it should look like image2. What we have done is place all our menu items and correctly position them.

They are all relatively placed inside the div.
Now let's transform this into a xoops theme.

Creating a xoops theme

Make a copy of xoops default theme and name it "kdesign". I've provided a zipped version [here](#). Go to preferences and set kdesign as the default theme.

Now open /kdesign/theme.html and replace everything with this:

```
DOCTYPE html PUBLIC  
"-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
folderName}>
```

```
#artdecoMM{
font-family:arial;
width:310px;
height:175px;
}
#artdecoMM a {text-decoration:none;}
#artdecoMM a:hover{ color:#FF0000;}

.mm1 {position:relative; top:23px; left:89px;font-weight:bold; font-size:18px;}
.mm1 a{ color:#000000}
.mm2{position:relative; top:25px; left:65px;font-size:20px;}
.mm2 a {color:#FFFFFF;}
.mm3{position:relative; top:-12px; left:-39px; width:180px;font-size:20px;
-webkit-transform: rotate(-90deg);
-moz-transform: rotate(-90deg);
}
.mm3 a {color:#EBEBEB;}

.mm4{position:relative; top:5px; left:100px; font-weight:bold;font-size:14px;}
.mm4 a {color:#333333;}

.mm5{position:relative; top:135px; left:-75px;font-size:19px;
-webkit-transform: rotate(90deg);
-moz-transform: rotate(90deg);}
.mm5 a {color:#666666;}

.mm6{position:relative; top:-40px; left:-25px; width:105px; font-weight:bold;font-size:15px;
-webkit-transform: rotate(-90deg);
-moz-transform: rotate(-90deg);}
.mm6 a {color:#333333;}
.mm7{position:relative; top:-125px; left:70px;font-size:15px;}
.mm7 a {color:#666666;}

#submenu{position:relative; float:right; font-size:10px; color:#006600; right:140px; top:100px;}
#submenu a{ color:#006600;}
```

Item 1
Item 2
Item 3
Item 4
Item 5

Item 6

Item 7

submenu 1
submenu 2
submenu 3
submenu 4

I'm using this theme only to test my main menu code, as such I've stripped everything else out of this theme. Now reload the theme. You should have something similar to image 3.

Step 4 Using Module Names

The next step is to use actual xoops modules. Open kdesign/theme.html and replace all code with this:

```
DOCTYPE html PUBLIC
```

```
"-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
folderName}>
```

```
#artdecoMM{  
font-family:arial;  
width:310px;  
height:175px;  
}
```

```
#artdecoMM a {text-decoration:none;}  
#artdecoMM a:hover{ color:#FF0000;}
```

```
.mm1 {position:relative; top:23px; left:89px;font-weight:bold; font-size:18px;}  
.mm1 a{ color:#000000}
```

```
.mm2{position:relative; top:25px; left:65px;font-size:20px;}
.mm2 a {color:#FFFFFF;}
.mm3{position:relative; top:-12px; left:-39px; width:180px;font-size:20px;
-webkit-transform: rotate(-90deg);
-moz-transform: rotate(-90deg);
}
.mm3 a {color:#EBEBEB;}

.mm4{position:relative; top:5px; left:100px; font-weight:bold;font-size:14px;}
.mm4 a {color:#333333;}

.mm5{position:relative; top:135px; left:-75px;font-size:19px;
-webkit-transform: rotate(90deg);
-moz-transform: rotate(90deg);}
.mm5 a {color:#666666;}

.mm6{position:relative; top:-40px; left:-25px; width:105px; font-weight:bold;font-size:15px;
-webkit-transform: rotate(-90deg);
-moz-transform: rotate(-90deg);}
.mm6 a {color:#333333;}
.mm7{position:relative; top:-125px; left:70px;font-size:15px;}
.mm7 a {color:#666666;}

#submenu{position:relative; float:right; font-size:10px; color:#006600; right:140px; top:100px;}
#submenu a{ color:#006600;}
```

submenu 1
submenu 2
submenu 3
submenu 4

[Home](#)

You might have to tweak positions to better fit the design. Language and capital letters are all factors in the placement of each item.

Step 5 - Submenu

Now let's populate the submenu. Open kdesign/theme.html and replace all code with this:

```
DOCTYPE html PUBLIC
"-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
folderName}>
```

```
#artdecoMM{
font-family:arial;
width:310px;
height:175px;
}
#artdecoMM a {text-decoration:none;}
#artdecoMM a:hover{ color:#FF0000;}

.mm1 {position:relative; top:23px; left:89px;font-weight:bold; font-size:18px;}
.mm1 a{ color:#000000}
.mm2{position:relative; top:25px; left:65px;font-size:20px;}
.mm2 a {color:#FFFFFF;}
.mm3{position:relative; top:-12px; left:-39px; width:180px;font-size:20px;
-webkit-transform: rotate(-90deg);
-moz-transform: rotate(-90deg);
}
.mm3 a {color:#EBEBEB;}
.mm4{position:relative; top:5px; left:100px; font-weight:bold;font-size:14px;}
.mm4 a {color:#333333;}
.mm5{position:relative; top:135px; left:-75px;font-size:19px;
-webkit-transform: rotate(90deg);
-moz-transform: rotate(90deg);}
.mm5 a {color:#666666;}
.mm6{position:relative; top:-40px; left:-25px; width:105px; font-weight:bold;font-size:15px;
-webkit-transform: rotate(-90deg);
```



```
-moz-transform: rotate(-90deg);}
.mm6 a {color:#333333;}
.mm7 {position:relative; top:-125px; left:70px;font-size:15px;}
.mm7 a {color:#666666;}
#submenu {position:relative; float:right; font-size:10px; color:#006600; right:140px; top:100px;}
#submenu a { color:#006600;}
```

Home

As you may notice I'm only using existing smarty variables to do all this. If you set your debug mode to smarty, you will see a lot information is provided to help you with your modules and templates. If you want to go back to your admin, just type the url:
<http://www.yoursite.com/admin.php> or to login: <http://www.yoursite.com/user.php> Your end result should be similar to image 4.