

UHQ-IceAuth v0.8 Released! - XOOPS

NEWS_PDF_AUTHOR: iunderwood

NEWS_PDF_DATE: 2010/12/20 17:13:52

UHQ-IceAuth v0.8

This is the first update to the IceCast authentication module I've made in the last 9 months. This fixes one annoying bug and supports GeoLocation in my previously-released UHQ-GeoLocate module. I have been running this for several months on my own radio station PowerFrag.FM and it's been a solid performer.

Pretty documentation is in the works, but is not finished yet, and won't make it until v0.9, I expect.

From the changelog:

==[version 0.8]====[2010.12.20]==

Fixes:

- * Intros won't go to pot if they're used on a mount with a time limit.

Changes:

- * Module: If an intro is being used, be sure to set a content-type header when sending the intro downstream.
- * Module: Tabs for Auth Records and Accounting Records have been renamed to Authentication and Accounting, respectively.
- * Module: Includes are using more explicit file definitions, relying less on assumptions.
- * Module: Admin section uses Frameworks for the header, if available.
- * DB: uhqiceauth_authtrail, added support for geolocation by country code, region, and city.
- * DB: uhqiceauth_authtrail, extended user agent length to 128 bits.
- * DB: uhqiceauth_uabans, extended user agent length to 128 bits.
- * DB: uhqiceauth_accounting, table has been removed as it hasn't been used in several revisions.

Adds:

- * Module: Initial support for geolocation by IP. Requires UHQ-GeoLocate in order to leverage this feature.

Notes:

- * Development environment now XOOPS 2.5.0!
- * Updated the module logo!

It can be downloaded here: <http://xoops.underwood-hq.org/modules/wfdownloads/singlefile.php?cid=1&lid=3>

UHQ-IceAuth v0.8

This is the first update to the IceCast authentication module I've made in the last 9 months. This fixes one annoying bug and supports GeoLocation in my previously-released UHQ-GeoLocate module. I have been running this for several months on my own radio station [PowerFrag.FM](#) and it's been a solid performer.

Pretty documentation is in the works, but is not finished yet, and won't make it until v0.9, I expect.

From the changelog:

==[version 0.8]====[2010.12.20]==

Fixes:

- * Intros won't go to pot if they're used on a mount with a time limit.

Changes:

- * Module: If an intro is being used, be sure to set a content-type header when sending the intro downstream.
- * Module: Tabs for Auth Records and Accounting Records have been renamed to Authentication and Accounting, respectively.
- * Module: Includes are using more explicit file definitions, relying less on assumptions.
- * Module: Admin section uses Frameworks for the header, if available.
- * DB: uhqiceauth_authtrail, added support for geolocation by country code, region, and city.
- * DB: uhqiceauth_authtrail, extended user agent length to 128 bits.
- * DB: uhqiceauth_uabans, extended user agent length to 128 bits.
- * DB: uhqiceauth_accounting, table has been removed as it hasn't been used in several revisions.

Adds:

- * Module: Initial support for geolocation by IP. Requires UHQ-GeoLocate in order to leverage this feature.

Notes:

- * Development environment now XOOPS 2.5.0!
- * Updated the module logo!

It can be downloaded here: <http://xoops.underwood-hq.org/modules/wfdownloads/singlefile.php?cid=1&lid=3>