

Userlog 1.17 Alpha2 released for XOOPS 2.5.8 and PHP 7 - Modules

NEWS_PDF_AUTHOR: Mamba

NEWS_PDF_DATE: 2016/8/28 21:30:00

We are happy to announce the **UserLog 1.17 Alpha 2** module for XOOPS 2.5.8 and PHP 7

Description:Quote:

Userlog is a node logger which can log your user/visitor activities in your site from a preferred node.

This is a very useful tool for webmasters in busy sites. For example, you can log your other Admins navigation.

Minimum Requirements:

=====

XOOPS 2.5.8
PHP 5.5
MySQL 5.0

If you find any bugs, please report them here, or directly on GitHub:

<https://github.com/XoopsModules25x/userlog/issues>

As always, we encourage everybody to fork it and help us by contributing back to the development.

Download: [GitHub](#)

Development: [GitHub](#)

Tutorial: [GitBook](#) (just started - we need help!!!!)

You can contribute to the tutorial, as well as provide translation, on [GitHub XOOPS Docs](#)

Check out XOOPS on GitHub: [Let's Get involved!](#)

Features:

=====

- Log user activities and navigations.

Examples:

1- The possibility to list all the IPs used from a certain user, and conversely to list all the users logged from a defined IP to find duplicate users.

2- Find deleted items from your database.

3- Find admin user activities(webmasters, moderators, ...)

4- Find users who come to your site from Google.

- Can log users by getting User ID, User group or visitor IP.

- Logs can be stored in file, database or both.

- Any below user information and/or page data can be selected to be logged.

Quote:

```
User ID,Username,Is Admin?(y/n),Groups,User Last Visit,User IP,User agent,URL
(Request URI),Script name,Referer URI,Page title,Is Page admin?(y/n),Module
dirname,Module name,Item name,Item ID,Request method (GET, POST,
...),$ _GET,$ _POST,$ _REQUEST,$ _FILES,$ _ENV,$ _SESSION,$ _COOKIE,Headers
list,Logger
```

- Any active module in your installation can be selected and userlog will log users activities only in those modules.

- You can navigate/delete/purge/export to CSV user logs in admin/logs.

- You can render logs from database or file source engine in admin/logs.php.

- To search for logs based on a criteria you have an advance form in admin/logs.php

- You can see/delete/rename/copy/merge/compress(zip)/export to CSV log files in admin/file.php.

- You can see total module views, total user views, total group views in admin/stats.php

- you have an advance form to see any item views using some criteria like what is the module/link/log time/viewer uid/viewer group id of the item in admin/stats.php

- by activating the views block you can set a most viewed items in a module or in the whole website in a specific period of time. e.g.: today most viewed (hot) news

- You can set the module as Active or Idle in preferences.

- If you need to store logs in a file, you can set the working path, working file size, working file name, ... in preferences.

- If you need to store logs in database, you can set the maximum logs thresholds (maximum number of logs and maximum time that logs are stored in the database) in preferences.

- Can be used as a backup/restore tool.

- Used JSON format to store arrays to database for better performance (instead of xoops core serialize).

We are happy to announce the **UserLog 1.17 Alpha 2** module for XOOPS 2.5.8 and PHP 7

Description:Quote:

Userlog is a node logger which can log your user/visitor activities in your site from a preferred node.

This is a very useful tool for webmasters in busy sites. For example, you can log your other Admins navigation.

Minimum Requirements:

=====
XOOPS 2.5.8
PHP 5.5
MySQL 5.0

If you find any bugs, please report them here, or directly on GitHub:

<https://github.com/XoopsModules25x/userlog/issues>

As always, we encourage everybody to fork it and help us by contributing back to the development.

Download: [GitHub](#)

Development: [GitHub](#)

Tutorial: [GitBook](#) (just started - we need help!!!!)

You can contribute to the tutorial, as well as provide translation, on [GitHub XOOPS Docs](#)

Check out XOOPS on GitHub: [Let's Get involved!](#)

Features:

=====
- Log user activities and navigations.

Examples:

- 1- The possibility to list all the IPs used from a certain user, and conversely to list all the users logged from a defined IP to find duplicate users.
- 2- Find deleted items from your database.
- 3- Find admin user activities(webmasters, moderators, ...)
- 4- Find users who come to your site from Google.

- Can log users by getting User ID, User group or visitor IP.
- Logs can be stored in file, database or both.
- Any below user information and/or page data can be selected to be logged.

Quote:

User ID,Username,Is Admin?(y/n),Groups,User Last Visit,User IP,User agent,URL (Request URI),Script name,Referer URI,Page title,Is Page admin?(y/n),Module dirname,Module name,Item name,Item ID,Request method (GET, POST, ...),\$ _GET,\$ _POST,\$ _REQUEST,\$ _FILES,\$ _ENV,\$ _SESSION,\$ _COOKIE,Headers list,Logger

- Any active module in your installation can be selected and userlog will log users activities only in those modules.
- You can navigate/delete/purge/export to CSV user logs in admin/logs.
- You can render logs from database or file source engine in admin/logs.php.
- To search for logs based on a criteria you have an advance form in admin/logs.php
- You can see/delete/rename/copy/merge/compress(zip)/export to CSV log files in admin/file.php.
- You can see total module views, total user views, total group views in admin/stats.php
- you have an advance form to see any item views using some criteria like what is the module/link/log time/viewer uid/viewer group id of the item in admin/stats.php
- by activating the views block you can set a most viewed items in a module or in the whole website in a specific period of time. e.g.: today most viewed (hot) news
- You can set the module as Active or Idle in preferences.
- If you need to store logs in a file, you can set the working path, working file size, working file name, ... in preferences.
- If you need to store logs in database, you can set the maximum logs thresholds (maximum number of logs and maximum time that logs are stored in the database) in preferences.
- Can be used as a backup/restore tool.
- Used JSON format to store arrays to database for better performance (instead of xoops core serialize).